



DUFOUR YACHTS

56

EXCLUSIVE



SPECIFICATIONS



# CONSTRUCTION

- Hull: Composite sandwich hand-laminated polyester.
- PVC panels are vacuum-bonded for better adhesion to laminate.
- Structure: Hull bottom counter-moulded, floors laminated into the hull.
- Gelcoat: NPG gelcoat with first mat impregnated with NPG resin forming an optimum barrier against osmosis.
- Decoration: Grey for waterline and decoration line
- Deck: Sandwich with injected PVC foam core
- Ballast: Keel in cast iron with stainless steel bolts bear on stainless back-plates (optional shallow draft)
- Rudder: Semi-elliptical shape, filled with closed-cell epoxy foam.
- Rudder stock: Solid stainless steel.
- Rudder quadrant: Stainless steel cables and quadrant 610 mm diameter.
- Non-slip deck surface: Non-slip structured deck surface.

## DECK HARDWARE:

- Mooring: 1400W electrical windlass (LEWMAR ) fixed stainless steel anchor arm (32kg delta anchor and 100mt chain OPT)
- LED navigation light and tri-color mast head light
- Bow pulpits: Stainless, opening for easy access and for spinnaker handling
- Stern pulpits: Jackstaff bracket, navigation light, and opening life-lines with hook.
- Stanchions: With 2 rows of life-lines, one opening gate each side.
- Mooring cleat: 6, aluminium.(SIZE)
- Chainplates: 2 backstay chainplates, external side deck chainplates
- Fuel deck fillers: 2
- Water deck fillers: 3
- Safety gear: Safety harness padeye in cockpit floor and wood hand rail along coachroof
- Mainsheet tracks: On coachroof with adjusting car (2440 mm). STD
- Genoa tracks: 2 genoa sheet tracks, plunger-adjustable low-lead cars
- Genoa self tacking track
- Through-deck fitting: Stainless swan-neck for electrical and electronic cables
- Deck organizers: 2 deck 4-sheave organizers for halyard, sheet and reef line returns.
- Halyard winches: 2 halyard winches (T 55 LEWMAR) on coachroof. Mainsail halyard side winch ELECTRICAL
- Primary winches: 2 genoa sheet winches (T55 LEWMAR) at helm positions
- Jamcleats: 2 rows of jamcleats port / starboard level with the companionway
- Furler line jamcleats: 1 at aft end of sidedeck
- Hatch covers: Sliding companionway hatch in Plexiglas.
- Flush deck hatches: 5 X T60 + 6 X T20 flush hatches on deck (LEWMAR)
- Sprayhood
- Cockpit bench seats: Teak covered. (1975 mm)
- Helmsman's seat: Teak covered.
- Cockpit floor: Teak cockpit floor(opt)
- Port bench seat: convertible into a sun deck.
- Lockers: 1 large side locker to Stbd with strut-assisted closing and fixing for padlock.
- Helm: Grp instrument console with 2 900mm diameter steering wheels BLACK)
- Cockpit table: wood cockpit table with grp structure
- Cockpit table Storage: storage space (refrigerator and sink OPT)
- Handrail: Stainless, on cockpit table + 1 in each steering column
- Shower: Hot and cold water in aft central section
- Shore supply: Stbd helm position
- Bathing ladder: Foldaway stainless bathing ladder.
- Engine controls: At starboard helm position
- Compasses: 2 on columns
- Gas locker: Under port helmsman's seat
- BIB locker: Under floor
- Emergency tiller: A stainless tiller with deck plate for access

## SAIL LOCKER / CREW CABIN:

- Large lockable deck hatch T60 hatch



- Ladder, handrails
- Bow thruster access
- Chain locker and windlass access
- As an option, the forepeak can be fitted as a 1 or 2 person crew cabin

## TENDER GARAGE:

- Opening transom giving access to swim platform / tender garage with ELECTRIC mechanism /OPT
- Tender (opt) can be 3,10m with inflatable bottom / (OPT)
- Tender inflating/deflating electric pump (OPT)
- Access to tender garage is from deck and transom
- Access to steering system and (opt) autopilot

## RIGGING & SAILS:

- Mast: Anodized aluminium with 2 levels of swept spreaders
- Rigging: 9/10 fractional
- Mast stepping: On deck
- Lights: Anchor and steaming lights and deck flood (LED)
- Topping lift: Boom topping lift cleats.
- Boom: Anodized aluminium equipped for 2 continuous reefs.
- Furler: Manual roller furling genoa system (FACNOR).
- Standing rigging: Continuous in stainless single-strand cable, chrome-plated bronze rigging screws, comprising: forestay, backstay bridle with twin rigging screws, inter and lower shrouds.
- Backstay: double mechanically adjusted
- Running rigging: "Running rigging in pre-stretched textile including: main and genoa halyards, boom topping lift, main and genoa sheets, 2 continuous reef lines, leech tensioner, 1 mainsheet car adjustments, furling line, downhaul tackle. (MAIN and JIB halyard in spectra)
- Mainsail: 2 wide reef strips, with battens and bag.(Dacron)
- Genoa: Furling genoa with UV-protection (Dacron)

## INTERIOR:

- Woodwork: Moabi finish with various massive wood parts. (Oak is an option) TEAK
- Floors: Moabi laminate.
- Doors: Fitted with twin-bolt anti-vibration locks, cabin doors can be blocked in the open position
- Cushions: Saloon cushions and cabin mattresses fitted with removable covers.
- Head-liner: Lined with wood.
- Versions: 3 cab 2 showers/1WC , 4 cab 2 shower/1 WC, 5cab 2 showers/1WC
- Hull: 8 hull windows
- Coachroof, fixed: 5 fixed ports
- Coachroof, opening: 3 opening ports with curtains
- Hatches: 11 deck hatches
- Indirect lighting: Under ceiling
- Lighting: Numerous spots and reading lights.
- Courtesy light: Low-level lighting around saloon furniture

## COMPANIONWAY

- Companionway hatch: Sliding companionway hatch and door in plexiglas with stops and lock.



- Steps: Curved wooden steps
- Engine cover: Hinged wooden engine cover with gas struts.
- Handrails: 2
- Wine cellar: Wine cellar beneath floor in companionway

## SALOON

- Partially raised saloon position allows a front panoramic view.
- Plenty of natural light and ventilation is guaranteed by the front, side fixed plexi and the hatches in the coachroof
- Direct and indirect lights
- Night courtesy light in the saloon,
- Saloon : U-shaped banquette on port side (2.1 m )
- Central banquette: Sliding, with raising back rest
- Table: 3-function saloon table
- L shaped relaxing sofa to starboard side

## LEAFTING TV (opt)

- Stowage:
  - - stowage under seats and behind backrests.
  - - top lockers with doors and bookshelf to port and stbd
  - -hatches under-floor

## GALLEY

- Configurations: the galley is located one step down forward of the saloon and it runs across the full beam of the boat
- Worktop: 'Corian.' synthetic resin with wooden fiddle.
- Sink: Stainless steel bowl sink in port module
- Water: Hot and cold pumped water with brushed stainless single lever mixer tap.
- Gas cooker: 3-burner gas cooker with oven and grill, on gimbals, with stainless hand rail in port side
- Refrigerators: 130 lt front opening fridge Crockery storage: Dowels to retain crockery when heeling.
- Freezer: 65 lt front opening fridge ( Std )
- Stowage: various lockers
- 220 V microwave oven: In stbd hull cubby-hole
- Pump: Sea-water pump built-in under floor to stbd
- Waste bin: Sort compartments, to port

## CHART TABLE (plan # 1)

- Starboard chart table facing forward
- Table with internal storage space for laptop and papers
- 1 ceiling light, 1 reading light
- Pivoting console: holding the instruments and electrical distribution panel
- Instrument console: Instrument console in top locker
- Radio: Radio/CD player with 2 speakers, MP3 compatible
- Other: Electrical distribution panel, Plexiglas cover, outboard side

## CHART TABLE (plan # 2)

- Starboard chart table facing aft
- Table hinged to aft bulkhead pivoting forward
- 1 ceiling light, 1 reading light
- Pivoting console: holding the instruments and electrical distribution panel
- Instrument console: Instrument console in top locker
- Radio: Radio/CD player with 2 speakers, MP3 compatible
- Other: Electrical distribution panel, Plexiglas cover, outboard side

## FWD CABIN (Front Centre bed plan # 1)

- Double Berth: 200 Å~ 160 cm centred placed in the front bhd
- Mattress: 10 cm thick foam mattress with washable cover.
- 12 V /230 V socket
- 4 opening hatches above the bed
- Stowage:
  - Side top lockers along side of hull.
  - 2 hanging lockers with shelves.
  - Below berth.
  - 2 tidy pockets
- Access: To navigation instrument transducers

## FWD HEAD (plan # 1)

- The owner cabin has an en suite toilette and a separated shower area
- WC: Electric sea toilet + basin with single-lever mixer tap
- Wash-basin: Polyester bowl with 'Corian.' synthetic resin top



- **Water:** Hot and cold water, chrome-plated brass single-lever mixer tap and shower head.
- **Discharge:** Direct, via an electric pump.
- **Mirror:** Large mirror
- **Grating:** 'Corian.' synthetic resin (std) or teak (std)
- **Ventilation:** Via deck panel or opening port.
- **Cupboards:** Storage unit

## FWD CABIN (Side bed plan # 3)

- **Double Berth:** 200 Å~ 160 cm located on port aft side in the maximum beam
- **Mattress:** 10 cm thick foam mattress with washable cover.
- 12 V /230 V socket
- 2 opening hatches above the bed
- **Stbd side with a sofa and a vanity with mirror**
- **Stowage:**
  - Stbd side top lockers along side of hull.
  - 1 double door hanging lockers with shelves.
  - Below berth.
  - 2 tidy pockets
- **Access:** To navigation instrument transducers

## FWD CABIN (Island bed plan # 4)

- **Double Berth:** 200 Å~ 160 cm located on port side fwd with a double side access
- **Mattress:** 10 cm thick foam mattress with washable cover.
- 12 V /230 V socket
- 2 opening hatches above the bed
- **Stbd side with a sofa and a vanity with mirror**
- **Stowage:**
  - Stbd side top lockers along side of hull.
  - 1 double door hanging lockers with shelves.
  - Below berth.
  - 2 tidy pockets
- **Access:** To navigation instrument transducers

## FWD HEAD (plan # 3,4)

- **The owner cabin has an en suite toilette and a shower located in the front part of the cabin**
- **WC:** Electric sea toilet on stbd side
- **Wash-basin:** Polyester bowl with 'Corian.' synthetic resin top
- **Water:** Hot and cold water, chrome-plated brass single-lever mixer tap and shower head.
- **Shower:** separated area by a plexiglass door, located on port side with an automatic electric pump.
- **Mirror:** Large mirror
- **Grating:** 'Corian.' synthetic resin (std) or teak (option)
- **Ventilation:** Via deck panel or opening port.
- **Cupboards:** Storage unit

## FWD CABIN (Double front cabin plan # 2 Opt)

- **Split double bed**
- **Mattress:** 10 cm thick foam mattress with washable cover.
- 12 V /230 V socket
- 2 or 4 opening hatches above the bed per cabin
- **Stowage:**
  - Top lockers along side of hull.
  - 1 hanging lockers with shelves.
- **Access:** To navigation instrument transducers

## FWD HEAD (plan # 2 Opt)

- **The two front cabins have an en suite toilette and a separated shower area**
- **WC:** Electric sea toilet + basin with single-lever mixer tap
- **Wash-basin:** Polyester bowl with 'Corian.' synthetic resin top
- **Water:** Hot and cold water, chrome-plated brass single-lever mixer tap and shower head.
- **Discharge:** Direct, via an electric pump.
- **Mirror:** Large mirror
- **Grating:** 'Corian.' synthetic resin (std) or teak (option)



- **Ventilation:** Via deck panel or opening port.

## AFT CABINS (plan # 1)

- **Berth:** 198 x 195 cm approx.
- **Mattress:** 10 cm thick foam mattress with washable cover.
- **Stowage:** Hanging locker with shelves and top lockers along side of hull.
- **Ventilation and Natural Light:** 3 openable hatches and 1 fixed hatches guarantees plenty of light
- **Artificial Light:** general roof lights and 2 reading lights in each cabin
- 12V & 230V electric outlets in each cabin
- **Technical area:** Between aft berths.
- **Soundproofing:** Double bulkhead provides acoustic and thermal insulation from adjoining engine compartment.

## AFT HEADS (plan #1)

- **Access:** both from saloon and cabin
- **WC:** Manual sea toilet
- **Wash-basin:** Wash-basin unit with basin in Corian.C synthetic resin.
- **Water:** Hot and cold water, chrome-plated brass single-lever mixer tap and shower head.
- **Discharge:** Direct shower discharge electric pump.
- **Cupboards:** 1 high-level 2-door storage unit with mirror
- **Mirror:** Large mirror
- **Grating:** 'Corian.' synthetic resin (std) or teak (option)
- **Ventilation:** Via deck opening port.
- **Other:** Head to port and stbd. Separate shower to port

## AFT CABINS (plan # 2)

- **Berths:** 2 X double bed cabin 198 x 195 cm and 1 X double cabin with one bed on top of the other.
- **Mattress:** 10 cm thick foam mattress with washable cover.
- **Stowage:** Hanging locker with shelves and top lockers along side of hull.
- **Ventilation and Natural Light:** 3 openable hatches and 1 fixed hatches guarantees plenty of light
- **Artificial Light:** general roof lights and 2 reading lights in each cabin
- 12V & 230V electric outlets in each cabin

## AFT HEAD (plan #2)

- **Access:** both from saloon and port cabin
- **WC:** Manual sea toilet
- **Wash-basin:** Wash-basin unit with basin in Corian.C synthetic resin.
- **Water:** Hot and cold water, chrome-plated brass single-lever mixer tap and shower head.
- **Shower:** Separate shower to port
- **Discharge:** Direct shower discharge electric pump.
- **Cupboards:** 1 high-level 2-door storage unit with mirror
- **Mirror:** Large mirror
- **Grating:** 'Corian.' synthetic resin (std) or teak (option)
- **Ventilation:** Via deck opening port.



## STD ENGINE

- Engine power: 110 hp (opt 150 hp)
- Bow thruster(opt)
- Transmission: Shaft-line with hydraulic V-drive reverse gear
- Cooling system: Heat exchanger, anti-siphon valve.
- Sea-water strainer: Sea-water strainer
- Fuel tank: 2 tanks with gauge on electrical panel. 500lt
- Fuel filter, water separator
- Shut-off valve: fuel shut-off valve on each tank with selection system.
- Control panel: Engine control panel with hours meter, engine stop and tachometer.
- Alternator: Alternator with battery isolator.
- Ventilation: Ventilation with 3 natural inlets and electric mechanical extract.
- Bilge: Separate engine bilge.
- Access: Access to the engine from front and both sides.
- 4-blade folding propeller
- Insulation: Carefully-designed foam acoustic and thermal insulation.



## PLUMBING

- Water tanks: 2 polyethylene water tanks with inspection holes and electric gauges 680lt capacity
- Electric bilge pump: With strainer, controlled from electrical distribution panel
- Manual bilge pump: Operated from cockpit.
- Bilge sump: Sump built into keel, access to strainer
- Hot water: Water-heater via heat-exchanger
- Hot water tank: Pressurized water pump unit 50lt.
- Shower waste: Electric shower pump



## ELECTRICITY

- Circuit: 12 V
- Distribution panel: 18 functions with circuit-breakers, voltmeter 12V / 220V
- Socket: 12 V on electrical distribution panel.
- Isolator: 1 per set of batteries ( Descente )
- 12V / 60 Ah battery charger
- 12V / 220 V - 2000W inverter OPT
- 12V & 220V electric outlets in galley, chart table and each cabin
- Engine Battery = 140 Ah
- Service Batteries = 3 \* 140 Ah



## MISCELLANEOUS

- Winch handles: 2 winch handles with bin.
- Owner's pack: Owner's pack with Owner's Manual.
- Earthing: Rigging grounded.

## MAIN FACTORY FITTED OPTIONS

- Forepeak conversion into skipper's cabin
- shallow draft (2.2m).
- Spinnaker/gennaker gear.
- Sails on quotation.
- Electrical in mast furling.
- Carbon fibre longer mast with rod rigging.
- Lacquered mast and boom.
- Carbon fibre V boom.
- Carbon fibre steering wheels.
- Staysail rig and equipment.
- Cockpit bimini.
- Cockpit cushions and sunbathing mattress.
- Gori folding prop with "overdrive".
- gangway.
- Navigation instruments.
- Gas / electric stove and oven.
- Air conditioning.
- Extra refrigerators.
- Wine cooler.
- Water maker.
- Dishwasher.
- Washer dryer.
- Built in HI FI/ TV / Video equipment.
- Built in safe.



A-1



A-2



B



C



D



Architect: Felci Yachts

Overall length : 17.15 m

Hull length : 16.30 m

Waterline length : 15.17 m

Max beam : 5.05 m

Light displacement : 17 625 Kg

Draft: 2.50 m

Keel weight : 4900 Kg

Fuel tank capacity: 500 L

Water tank capacity: 730 L

Engine power : 110 hp

Sail area : 141.67 m<sup>2</sup>

Mainsail : 72.67 m<sup>2</sup>

Genoa : 69 m<sup>2</sup>

I : 20.43 m

J : 6.20 m

P : 20 m

E : 6.20 m

LEGAL NOTICE: Dufour Yachts reserves the right to modify the products, their specifications and descriptions contained in this catalogue without notice. Dufour Yachts is a registered trademark of Dufour Yachts SAS. All the other trademarks are registered by their respective owners. © Dufour Yachts SAS 2015. All rights reserved.



**DUFOUR**  
YACHTS

LA ROCHELLE

[www.dufour-yachts.com](http://www.dufour-yachts.com)