

SPECIFICATION



315

| | | |
|----------------|--------|---------|
| LOA | 9.62 m | 31' 7" |
| Hull length | 9.10 m | 29' 10" |
| LWL | 8.70 m | 28' 7" |
| Beam | 3.35 m | 11' 0" |
| Draft | | |
| shallow keel | 1.35 m | 4' 5" |
| L-keel, medium | 1.85 m | 6' 1" |

| | | | |
|----------------|---------|--------|------------|
| Displacement | | | |
| shallow keel | approx. | 5.30 t | 11,684 lbs |
| L-keel, medium | approx. | 5.10 t | 11,243 lbs |

| | | | |
|---------------|---------|----------|----------|
| Engine Diesel | | | |
| standard | approx. | 13.60 PS | 13.60 hp |
| option | approx. | 21.00 PS | 21.00 hp |

| | | | |
|-------------|---------|-------|--------|
| Fuel tank | approx. | 100 l | 26 gal |
| Fresh water | approx. | 210 l | 55 gal |

| | | | |
|----------------|----------------------|--|--|
| CE Certificate | B - 7 | | |
| Design | judel / vrolijk & co | | |
| Interior | HanseYachts Design | | |

| | | | |
|----------------------|---------|----------------------|-----------|
| Mast length above WL | approx. | 14.35 m | 47' 1" |
| Total sail area | approx. | 47.00 m ² | 505 sq ft |
| Main sail | | | |
| standard | approx. | 29.50 m ² | 317 sq ft |
| furling | approx. | 26.00 m ² | 280 sq ft |
| Self-tacking jib | approx. | 17.50 m ² | 188 sq ft |
| Gennaker | approx. | 68.50 m ² | 737 sq ft |
| Crossover | approx. | 38.60 m ² | 415 sq ft |

All measurements/figures are approximate. Errors and omissions excepted. All weights are specified in MLC. Specification and material can be changed without notice. Valid from 2025.09.24

315

DECK LAYOUT & CABIN CONCEPT



Standard



Option



Option



Option

HULL

- GRP hull, isophthalic gelcoat, colour: Signal White (similar RAL 9003), 1st layer vinyl ester resin and balsa sandwich laminat
- Waterline and cove line, isophthalic gelcoat, colour: Dark Grey (similar RAL 7043)

KEEL

- L-keel, cast iron, draft: 1.85 m
- GRP rudder with sea-water resistant aluminium shaft and selfaligning bearings

LAYOUT & INTERIOR

- A1: Fwd cabin with open bulkhead, double berth and storage space under the berth
- B1: Saloon with L-galley, dining area on stb and sofa on port
- C1: Aft cabin with door, large double berth and storage space on stb and separate head with shower on port
- 2-burner gas stove, waste bin, stainless steel sink with mixing tab
- Interior furniture in high quality marine plywood, satin varnish
- Hanse companionway closing system
- Saloon table, folding
- Worktop in galley - Black Quartz

WOOD (FURNITURE, FLOORBOARD)

- Furniture - Mahogany Style, Satin Varnish
- Floorboard - Acacia

UPHOLSTERY

- Mattresses for all berths
- Upholstery - Monte Carlo, colour: Cream

DECK & OUTSIDE EQUIPMENT

- GRP deck with antislip surface, isophthalic gelcoat, colour: Signal White (similar RAL 9003), 1st layer vinyl ester resin with balsa sandwich core. Cockpit locker on port.
- Synthetic teak on cockpit benches (colour selection)
- 2 stainless steel steering wheels with leather cover
- Instrument pod on coach roof
- Pulpit and pushpit, stainless steel
- Railing, incl. stanchions and stainless steel wire
- Halyards and control lines with organizers and jammers on coach roof, 4 mooring cleats, handrails on coach roof

- 2 LEWMAR 40 ST EVO manual halyard winches
- Swimming ladder
- Self tacking jib system
- Mainsheet system
- 2 big decks hatches - openable
- 4 deck coach roof windows, 1 deck window

RIG & SAILS

- Rig, anodized aluminium, deck stepped, with kicker, standing and running rigging and 2 reefs
- Manual jib furler
- ELVSTRØM Dacron sails - full battened, main and jib

NAVIGATION & INSTRUMENTS

- Illuminated compass in instrument pod on coach roof
- Navigation lights - LED

PROPELLION

- Fuel tank, approx. 100 l
- Engine (Diesel, approx. 13.6 hp) - saildrive, 2-blade fix propeller

EQUIPMENT

- 12 V electric system with main switchboard
- AGM battery set, capacity: 1x 90 Ah + 1x 90 Ah AGM
- Country Version: EU / AUS
- Manual toilet with sea water flush
- LPG gas system, stowage for 1 gas bottle
- Black water system (appr. 35 l) with deck extraction and seacock for head, electric and manual bilge pump
- Fresh water system with electric pump
- Fresh water tank, appr. 210 l

SHIPPING & TRANSPORT

- CE - Certificate cat. B - 7 / C - 8 / D - 10
- Owners manual
- EC - Type Examination Certificate